



DUST SPARES

dust control spare parts for industry

www.dustspares.co.uk 03456 800 696

140 DRY - INDUSTRIAL SINGLE PHASE



ELECTRONICS



- ✓ High efficiency filtration
- ✓ Compact and mobile
- ✓ Complete steel construction
- ✓ Easy to handle
- ✓ Accessory kit included

- ✓ Possibility of using filter bags to safely dispose of the sucked material
- ✓ Absolute class H filter included
- ✓ Electric plug for power tools connection
- ✓ Three levels of filtration with disposal bag, class M bag filter and class H cartridge filter



SUCTION UNIT

Voltage	V - Hz	230
Power	kW	1.15
Electrical protection	IP	F
Max waterlift	mmH ₂ O	2500
Max air flow	m ³ /h	180
Suction inlet	mm	38
Noise level (EN ISO 3744)	dB(A)	72



FILTER UNIT

Filter Type		Bag
Material - Efficiency	IEC 60335-2-69	M - PTFE
Secondary filter		HEPA



COLLECTION UNIT

Capacity	l	20
----------	---	----



VOLUME

Dimensions	cm	38x48x80h
Weight	kg	25



SUCTION UNIT

The suction is made by a carbon brush by-pass motor which is activated by an independent switch placed inside a robust metal motor head. The motor head is soundproofed by sound-absorbent material.



FILTER UNIT

Three levels of filtration to have the maximum efficiency while vacuuming: first level with bag filter in class M, second bag filter in class M with PTFE coating, absolute filter cartridge in class H. Indication of saturation of the filter included.



COLLECTION UNIT

The vacuumed material is collected in the portable container which can be easily emptied.



OPTIONALS

✓ STAINLESS STEEL COLLECTION TANK